

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Replaces: 21.10.2022 Ref: 0384.2.BB/DL

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR
Pure substance/mixture	Mixture
1.2. Palayant identified upon of the	substance or mixture and uses advised against

**1.2. Relevant identified uses of the substance or mixture and uses advised against** 

Recommended use Adhesives and/or sealants

Uses advised against Not to be used in articles intended for direct or prolonged skin contact Not to be used in production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware, nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

#### 1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Siroflex Limited Dodworth Business Park Dodworth, Barnsley South Yorkshire, S75 3SP Tel +44 (0)1226 771600 Fax +44 (0)1226 771601 **Further information available from:** www.ob1original.com

#### 1.4. Emergency telephone number

United Kingdom Ireland	+44 (1226) 771600 (Office Hours Only) <b>NPIC - National Poison Information Centre</b> Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service)
Europe	112
<b>SECTION 2: Hazards ide</b>	ntification

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Replaces: 21.10.2022 Ref: 0384.2.BB/DL

### EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Trimethoxyvinylsilane 1 - <2.5 %	220-449-8 (014-049-00- 0)	2768-02-7	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
Dioctyltin oxide 0.1- <1 %	212-791-1	870-08-6	STOT SE 2 (H371)	-	-	-	01-2119971268- 27-xxxx

#### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	_	-	01-2119433307- 44-XXXX

Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

(	Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tri	methoxyvinylsilane	220-449-8	2768-02-7	-	-	-	11	-

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

United Kingdom - BE

Page 3 / 13

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
Chemical hame	Index No)	CAS NO.	mg/kg			LC50 - 4 hour -	
			iiig/kg	iiig/kg		vapour - mg/L	
					mg/L	vapour - mg/∟	gas - ppm
	(014-049-00-0)						
Dioctyltin oxide	212-791-1	870-08-6	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	res					
4.1. Description of first aid measur	es					
General advice	If medical advice is needed, have product container or label at hand.					
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.					
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.					
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.					
Ingestion	Do NOT induce vomiting. Call a doctor or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.					
4.2. Most important symptoms and	effects, both acute and delayed					
Symptoms	None known.					
Effects of Exposure	No information available.					
4.3. Indication of any immediate me	edical attention and special treatment needed					
Note to doctors	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Treat symptomatically.					
SECTION 5: Firefighting mea	asures					
5.1. Extinguishing media						
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.					
Unsuitable extinguishing media	Full water jet.					
5.2. Special hazards arising from the substance or mixture						
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.					
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).					
5.3. Advice for firefighters						

OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary. **precautions for fire-fighters** 

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.
Recommended storage	Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

temperature

**Specific use(s)** Adhesives and/or sealants.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

#### Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Silica, amorphous	-	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>
Dioctyltin oxide	-	TWA: 0.1 mg/m <sup>3</sup>
870-08-6		STEL: 0.2 mg/m <sup>3</sup>
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

#### Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768-02-7)					
Туре		Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m³			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

Dioctyltin oxide (870-08-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d			
worker Long term Systemic health effects	Inhalation	0.004 mg/m³			

Derived No Effect Level (DNEL)			
Trimethoxyvinylsilane (2768	-02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Consumer	Oral	0.0005 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Dermal	0.025 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Inhalation	0.0009 mg/m <sup>3</sup>	
Long term			
Systemic health effects			

### Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

#### 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene <sup>™</sup> . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Colour	Colourless
Odour	Characteristic.
<u>Property</u>	<u>Values</u>
Melting point / freezing point	No data available
Initial boiling point and boiling	No data available
range Flammability Flammability Limit in Air	No data available
Upper flammability or explosive	No data available

Remarks • Method

None known

OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Replaces: 21.10.2022 Ref: 0384.2.BB/DL

limits Lower flammability or explosive limits	No data available	
Flash point	> 60 °C	CC (closed cup)
Autoignition temperature	No data available	
Decomposition temperature pH		None known Insoluble in water.
pH (as aqueous solution)	No data available	
Kinematic viscosity	> 21 mm²/s	@ 40°C
Dynamic viscosity	No data available	
Water solubility	Reacts with water. Product cures	
	with moisture	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	No data available	
Relative density	1.05 - 1.07	
Bulk density	No data available	
Liquid Density	1,05 - 1.07 g/cm <sup>3</sup>	
Relative vapour density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
<u>9.2. Other information</u> Solid content (%) VOC content	No information available No data ava	ailable
9.2.1. Information with regards to p Not applicable	physical hazard classes	

9.2.2. Other safety characteristics No information available

SECTION 1	0: Stability	and reactivity
-----------	--------------	----------------

#### 10.1. Reactivity

Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Protect from moisture. Exposure to air or moisture over prolonged periods. Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.

OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

#### 10.6. Hazardous decomposition products

Hazardous decomposition<br/>productsSmall amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon<br/>curing.

#### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

No information available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (276	68-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (276	68-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results

#### **OB1 Multi-Surface Construction Sealant & Adhesive - Clear** Date: 27.01.2025

Replaces: 21.10.2022 Ref: 0384.2.BB/DL

	<u> </u>				<b>.</b>	
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		24 hours	Non-irritant	
Respiratory or skin sen	sitisation				sponses were observed. No a. May cause sensitisation	
Product Information						
Method		Species	Exposure	route	Results	
OECD Test No. 406 Sensitisation	i: Skin	Guinea pig	Derma	al	No sensitisation responses were observed	
Germ cell mutagenicity		Based on available data,	the classification crite	eria are not me	et.	
Component Information Trimethoxyvinylsilane (27	68-02-7)					
Method		Species			Results	
OECD Test No. 471: Bac Mutation Test	terial Reve	rse in vitro		Not mutag	jenic	
Carcinogenicity Reproductive toxicity		Based on available data, Based on available data,				
Trimethoxyvinylsilane (27	68-02-7)					
Method		Species		Results		
OECD Test No. 422: Cor Toxicity Study with the Reproduction/Developme Test				Not Classi	fiable	
STOT - single exposure Dioctyltin oxide (870-08-6 Method		Based on available data,		eria are not me Exposure		
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg	
Combined Repeated Dos Toxicity Study with the Reproduction/Developme	e				bw/d May cause damage to the following organs:	

STOT - repeated exposure

ntal Toxicity Screening

Test

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Immune system

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

#### Endocrine disrupting properties

#### 11.2.2. Other information

Other adverse effects No information available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		

#### 12.2. Persistence and degradability

#### Persistence and degradability

No information available.

#### Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric		-	%
Respirometry Test (TG 301 F)			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

Component Information
-----------------------

Chemical name Partition coefficient
-------------------------------------

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Trimethoxyvinylsilane	1.1
Dioctyltin oxide	6

#### 12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	-
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special precautions for user Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	Not regulated Not regulated Not regulated Not regulated NP None

OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

Replaces: 21.10.2022 Ref: 0384.2.BB/DL

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air tr	ansport (ICAO-TI / IATA-DGR)	_
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.
Dioctyltin oxide	870-08-6
Methyl alcohol	67-56-1
Methyl alcohol	67-56-1

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	Use restricted. See entry 20.

20 (6) DOT.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

### OB1 Multi-Surface Construction Sealant & Adhesive - Clear Date: 27.01.2025

#### Persistent Organic Pollutants Not applicable

### REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3 H226 - Flammable liquid and vapour H317 - May cause an allergic skin reaction H332 - Harmful if inhaled Legend TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL Ceiling Ceiling Limit Value Skin designation Sk\* SVHC Substance(s) of Very High Concern PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure STOT RE STOT SE Specific target organ toxicity - Single exposure EWC European Waste Catalogue ADR European Agreement concerning the International Carriage of Dangerous Goods by Road International Maritime Dangerous Goods (IMDG) IMDG IATA International Air Transport Association (IATA) Regulations concerning the International Transport of Dangerous Goods by Rail RID

Key literature references and sources for data No information available			
Prepared By	Product Safety & Regulatory Affairs		
Revision date	24-Sep-2024		
Indication of changes			
Revision Note	SDS sections updated, 2, 3, 11, 15.		
Training Advice	No information available		
Further information	No information available		

#### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.